

고객센터 전화번호 안내

고객만족을 위하여 최선을 다하겠습니다.

고객센터	
제품 고객 상담 (기능/성능/서비스 문의)	전국어디서나 1544-4424
011/017사업자 (가입/개통/요금/분실/주소변경/ 부가서비스 등등)	전국어디서나 1566-0011

- 제품 사용중 이상이 생기거나 불편한 점이 있으시면 서비스센터 방문전에 고객센터로 먼저 연락 하세요.
- 상세한 서비스센터 현황은 설명서내 부록편을 참조하세요.

CURITEL

주식회사 팬택&큐리텔

공 장 : 경기도 이천시 부발읍 아미리 산 136-1

연구소 : 서울특별시 서초구 서초동 1451-34

5U010000160.REV.01

PANTECH
& CURITEL

CURITEL

www.curitel.com



NATE
www.NATE.com

외국인을 위한 페이지
for Foreigner

DD-600 사용설명서

- 안전을 위하여 경고 및 주의사항을 반드시 읽고 사용하여 주십시오.
- 제품보증서 재증
- 공공 장소에서 휴대폰은 진동으로 사용하고 타인에게 방해가 되지 않도록 합니다.
- 안전을 위해 운전중에는 휴대폰 통화를 삼가합니다.
- 별매품은 당사에서 제공하는 정품을 사용하여 주시기 바라며, 그렇지 않을 경우 발생하는 휴대폰의 불량에 대해서는 책임을 지지 않습니다.


DD-600 PANTECH
& CURITEL





() .(149)


가



(가 , ,)



가





ESN

(ESN : Electronic Serial Number)가

(347) 10

2,000

가

가

RF


가



가

(RF)

가



..... 9

/ 10

/ 11

..... 15

/ 16

..... 17

..... 19

/ 20

..... 21

..... 21

..... 22

..... 22

..... 22

..... 22

..... 23

..... 23

..... 24

..... 24

..... 24

..... 25

..... 25

() 26

..... 26

..... 27

/ 28

..... 29

/ 29

NATE 30

..... 30

..... 32

/ 33

/ 35

/ 36

..... 38

..... 38

..... 41

NATE Air () 43

..... 44

..... 45

..... 45

..... 47

() 48

/ 49

PUSH 50

..... 53

1. NATE () 57

NATE 59

..... 60

() 61

..... 63

..... 69

NATE 70

..... 70

2. / 71

/ 73

/ / () 74

..... 75

1

..... 76

..... 77

..... 77

/ 78

/ 79

3. /

..... 80
/ 82
..... 83
..... 84
..... 84

4.

..... 85
..... 87
() 90
() 91
..... 91
..... 92
..... 93
..... 94

/ 95

() 96
..... 96

5.

..... 97
..... 99
..... 100
..... 101
..... 102
..... 105
..... 106
/ 107
..... 108

6. ()

..... 109
..... 111
..... 112
..... 113
ON/OFF 113
..... 114

7. ()

..... 115
() 117
..... 117
..... 118
가
() 119
..... 119
..... 120

8.

..... 121
() 123
..... 125
..... 125
/ 127
/ / 127

9.

..... 128
..... 130
..... 131
..... 131

..... 132

()
()
..... 133




..... 134
..... 134

..... 135
NAM () 136
..... 136

POP


..... 137
(POP) 138
POP 가/ 139

..... 141
..... 143
..... 147
..... 149
..... 150
..... 151
..... 152
..... 153
..... 155
..... 157
..... 158
..... 160
..... 164



LCD

LCD



가
/ / 가



()

()



R



가 가



가



PUSH 가



가

위스/지움




(*01)

(4 . 4 .)


가


從




(137)

NATE ()

가						
가						
가						
가						
가						
가						

가		가	
가		(가)	
가		(가)	
가		가 .	
가		가 .	
가		가 .	
가		가 .	


1



2




가




가



가



가



A/S



/

•

•

•

• ()

•

•



• /

•

• /

•

•

• / () , /

• /

NATE /

21

2

24

(26, 60, 77)

CURITEL

011 12:29 PM 6 5

LCD

가

(77) , 가

CURITEL

(60)

1

2

가

가

3

!!


(118)

가 (25)

1



2




가



!!

가 가 (117)



		가 5
		(87)
		가

1



1



2



0 : 13

0 : 13

6

"

" (111)

1



(ARS)

(87)

3

02-123-XXXXP-XXXXXP-XX

4

0 ~ 499

4

112-385-



/

1  . 2 



[01] 02-1234-5678
[02] 011-1234-5678
[03] XXX-XXXX-XXXX

가



가



가

86





011
12:29 P M 6 5

가







/





SPEED 011
5/15 [] 11:10
? _ _ _

가

4

4

1 

가

NATE

가 가

NATE

가



011
12:29 P M 6 5




011
12:29 P M 6 5




011
12:29 P M 6 5


1



2



3



!!

가



(101)

1



: NATE 700

2



7가 /

3



가

(73)

가

가





/ ,

Diagram illustrating a sliding gesture on a smartphone. A red circle highlights the volume keys. Below, a trumpet icon is shown with a double-headed arrow, indicating a horizontal sliding motion.

Screenshot of an SMS message from NATE Air. The message content is "PUSH".

38



NATE /

Screenshot of the NATE mobile application interface. The app logo is visible in the top left corner. The main content area shows a stylized "NATE" logo and the website address "www.NATE.com".

68)

Screenshot of a stopwatch application interface. The stopwatch face is visible, with the text "CURITEL" and "SPEED OIL" on the dial.

가

가

1 가

2 가

R 7 PLS
F 3 DEF

"0" 0

"CURITEL"

2 C
8 U
7 R
4 I
8 T
3 E
5 L




()

가

() ()

" ()"/"

1234567890 ./@/:;!()/? 百	1234567890 ★☎✳⋯/♣♦♥♣ 百
1234567890 +*%&()[]~ 百	1234567890 ♪♫♬♭♮♯♯♯♯ 百
1234567890 +-= \, ^ ' " ; : 百	1234567890 ☒ ½¼¼ ¹²³ · ¤ \$ 百
1234567890 ☒ ← → ⌨ 「 」 ' '	



- 1.
- 2.
- 3.

○ ○ ○ ○

- 1.
- 2.
- 3.
- 4.
- 5.

NATE Air :

- 1.
- 2.
3. WEB
- 4.
- 5.



PUSH
NATE


가

가



1 가





1

01 :

02 :

2

06/14 12:32

011-xxx-xxxx

3

06/14 12:32

011-xxx-xxxx

1

확인

2

확인

3

확인

4


확인

45

(87)

1

가




4

4

1



2 40



89 017 雫 88 011 雫


1



가



2





89 017 雫 88 011 雫






()



2 / 10 / /






가



NATE Air

NATE Air

가



:1 ~3

:14

: / /

: / /



3월 3일

1 확인

2

(33)

가



!!


가

가

3



3



4



가

확인

01 : 011123456XXX
02 :
03 :
05 : 0119019XXX

..[0%]

10

확인

확인

!!

메뉴




1



2



3



10

20

45

ARS


ARS



()



1



2



3

(45)



가 10 가

(1)

가



/

3 4

가

1 2 가

3 5 1 2



PUSH


1 4

2 4 3

2 5




/



& 가

가
(POP)
(137)

(POP)



1 가 1 "Nate"





1 "Nate" 가 2 3

1 NATE : 2 / : 3. / :




9가

4. : 5. : D-Day, 6. : 7. : 8. : E-Mail 0. :



1. NATE

NATE





1. NATE



1 "NATE" 가

2 확인

가 가

1	NATE	58
2		59
3		60
4		61
5		63
6		69
7	NATE	70
8		70



NATE



1 확인 NATE

2 확인

가 가

가 가

!! NATE NATE



NATE

가

1



2



3 NATE

NATE

가




1



NATE

2




!!
가 가 가



NATE

()

1



2



가

NATE

3



(61)
15

5



NATE

가

가

1 



5

2 



3 

/ 가



/



!!

“ ” / 가가



4 



6




5 

가




가



(60) 2

1:
2:
3:





가 , , OK CashBag 가

CA(Certificate Authority) 가 가 가 가
 CA Trusted CA Information
 CA 10 SK

가



4 0000

1


2

“ / ”

확인

확인

주소/지움



4 0000

1

2

3

가 1
가 2

가 2

1.
2. *
3. *[mmy]
4. *

가 2



OK CASHBAG

3

OK CASHBAG

1. CASHBAG *
2. *



4

가 2

1. CASHBAG *
2. *


가 2

OK CASHBAG








/





4



<p>1 </p>  <p>가 </p>	<p>2  </p> 	<p>3 </p> 
<p>1 </p>  <p>4</p>	<p>2 </p> 	<p>3 </p> 



4

<p>1 </p>  <p>NATE</p>	<p>2  </p>  <p>CA</p>	<p>3  </p>  <p>SK</p> <pre> [SK] [SK] [-20XX 00 00] [] </pre>
--	--	---



2. /



1. /

2.

3. ON/OFF

4. 가

5.

6.

7.



2. /



1.

/ 가 7

가

가

<input type="text"/>	
1	/ 73
2 74
3 75
4 76
5 77
6 78
7 79




1 1점




1:	1 : 6	2:	2: 6
3:	: 6	4:	: 6
5:	: 6	6:	: 15
7:	: 3		
: NATE, PC			
가			
:700			

2 1점



가
가
위스/지음

3 1점



가
가
위스/지음



1 2점



2 1점

	가	
	가 2	



1

2

3

OFF ON
OFF/ON

1 1 가



가

가



1

2

3

4

1, 2

1, 2



1 NATE

2 6 가 " 60 "

1 2 가 1 2

2 확인 " " 6 " " (78)



1 6 가 SPEED 011 SPEED 011


2 가

3 확인


10 , 6
(33)



1 7 점



2 3 점



1 점

1:

2 점

2:

3 점

3:



3. /



1  



가 3



가





① (/) 82

② 83



(/)



1   /

2  , 

3 




!!
NATE, PC

NATE



1 3



2



가



3




⋮



/

1




2



가 (87)

3



(87)

1




2



77 “ ”



4.



[Redacted]	87	
1	87	
2	90	
3	91	
	91	
	92	
	93	
	94	
4	/	95
5	/	96




1  가

2 E-Mail 가

3  가



가 

3 

가

7 가 E-Mail (33)

011-xxx-xxxx
02-123-4567
02-xxxx-xxxx

2
www.curitel.com



011-xxx-xxxx
02-123-4567
02-xxxx-xxxx

2

4

2

www.curitel.com

가 , , ,

가 (95)

www.curitel.com

가

(83)

가 , , ,

가 , , ,

가 , , ,

가 , , ,



!!

1

[01] 02- 123-4567
[02] 011-1234-5678
[03] 01x-xxxx-xxxx

2

[01] 02- 123-4567
[02] 011-1234-5678
[03] 01x-xxxx-xxxx

가 30

02- 123-4567
011-1234-5678
01x-xxxx-
000-0000


가


4

가



()



1 

2  가2 



()



1 

2 



1

[003]
[009]
[012]

2

[003]
011-xxx-xxxx
02-520-xxxx

3

2

[003]
[009]
[012]

()



1

[003]
[009] xx
[012]

2

[003]
011-xxx-xxxx
02-520-xxxx

3

2

[003]
[012] xx
[009]



1

2

1

2



1

2

2





5. 

1:

2:

3: /

4:  1. 2. 3.
 4. 5. 6. 7.

5:  + - x ÷

6:

7:

8: 

9:



5.



1  5. 




가 9



가

1	99
2	100
3	101
4	102
5	105
6	106
7	107
8	107
9	108



1.

3.

100

1.

2.

3.

4.

2.



100

10 가

1

2

100

가 D+day D-day 00 ,
00

, D+day, D-day, , , ,

3

4



1

가

2




1


1.0%



2.0%




4.0%



(101)

1

5.0%



2




가

40

6.0%

YES/NO




YES


가




7.0%



1




2




가



3



1




" - "



" . " 가


2



1




2



SPLIT/RELEASE

- SPLIT :
- RELEASE :





1



2



3





1: [] [] 1. []

- 2. []
- 3. []

2: []

3: [] []

4: [] [1] [2] [3] [4]

5: ON/OFF [] ON/OFF

6: [1] [2] [3]



6.



1 [] [6 MNO]



가 6

가


[]111
①111
②112
③112
④113
⑤	ON/OFF113
⑥114



1



2



원소/지름



가

10

1



2



/



1



2



()



가

: 가 가 .
 : “ 가
 . () 가



가

/
가

ON.OFF

ON/OFF

1

2

가

가

ON/OFF

1

2 ON/OFF

ON : 가

가



가

1

가

가

2

가

3

가

가




7 원

1:



10 20 30 60



2:



3:



1. 2. 3. 4.



SK

SKT

4:



1 3

5:



NATE

NATE

6:



1. 2. 3. 4.



7.



1



7 원



6

가



가




1	117
2	117
3	118
4	119
5	119
6	120
	PC	



/

7 점 1 점



주소/지움



!!

가 가

7 점 2 점



가

7 점 3 점



1



가

2 점



3 점



4 점



1 점



가 가

1
3

가 가

확인

취소/지움




1

000	00	00
2002	01	01
000		
000	00	00
NATE		
XX	XX	XX

2

000	00	00
NATE		
XX	XX	XX

PC



1

115200 bps

2

I/O Card PCMCIA Card PC

확인

1

2

확인

취소/지움

1

3

2

확인

1

4

RS-232C
USB

확인



8

1:

1

PC

PC

2:

2

가

3:

3

4:

4

가



8.



1



8



가 4

1	123
2	123
3	124
2	/	125
3	127



1

2

3

(124)

!! 가 : 가 (가)



1

2 가 " "

3

가

123


1 메뉴 8 2




취소/지움

가 확인 NATE.COM

1 메뉴 8 3



2 메뉴 확인



3 메뉴



중




< >


4



10 :



1   

2  

3     

가 10 10 가 " "








1:		<input type="text"/>
2:		<input type="text" value="20"/>
3:		<input type="text" value="?"/>
4:		<input type="text"/>
5:		<input type="text"/>
6:		<input type="text"/>
7:		<input type="text"/>
8:		<input type="text" value="/"/>
9: NAM		<input type="text" value="011 017 A-Band B-Band"/>
0:		<input type="text"/>



1	/	, SMS	130
2		가	131
3			131
4		, NATE	132
5			133
6			134
7			134
8		가	135
9	NAM	가	136
10		가	137



1

4

2



가

20

20 : 가 20 가

20 가

가

11 : 17 AM

가



1 4

XXXX ?

XXXX

2 확인 “ ”

XXXX

XXXX



1 “ ”

확인

2

←

가


가

가


가



1




3




가

2



가



가

가



전화기 버전 정보
SW : DD600M02
모델 : DD-600



?

/

	1 확인	
	2 /	
	3 확인	

가 가 가



NAM

	확인
--	----

가

--

/
N
A
M



(POP)



(POP) 가

1 가 가

2 POP 확인



POP

가



POP

1 POP 1.NATE 접속 2.소리 / 화면 3.게임/아바타

2 POP

3 POP메뉴 0 : POP-menu 가

4 POP메뉴 1: 가 ?

POP

1 POP 5 < >5 POP

2 POP POP메뉴 0 : POP-menu 가

3 POP메뉴 1: 가 ?

POP

" 0 : POP-menu 가 "

POP

POP 가

1 가 



2  가 



1 POP 가 



2  : 



()

(For Foreigner)



1. NATE

- 1. NATE
- 2.
- 3.
- 4.
- 5.
- 6.
- 7. NATE
- 8.

- 1.
- 2.
- 3.
- 4.
- 5.

- 1. URL
- 2.
- 3.

2. /

- 1. /
- 2.
- 3.
- 4.
- 5.
- 6.

1,2

1

가

7.



3. /

- 1.
- 2.
- 3.

- 1.
- 2.

4. /

- 1.
- 2.
- 3.
- 4.
- 5.

5. /

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

6. /

- 1.
- 2.
- 3.
- 4.
- 5. ON/OFF
- 6.

1
2 3 4

						Sctr A Pwr	Data Rate
			/		/		
		115	110 ~ 120	170	150 ~ 180	-92dBm	Half Rate
	SCI=1	90	80 ~ 95	115	105 ~ 120	-100dBm	
	SCI=2	170	150 ~ 180	210	180 ~ 220		

가

가

가

가

1~2

()가

100%

	150	200





OFF

. 4~5

가

6

()



2000 12

가

2000-93 ()

가

가가

1.6W/Kg
SAR(Specific Absorption

Rate)



가 가

가 가

가 가

가 가



()가

15cm

15cm

가

RF

(RF) 가

가 RF

(02)	565-4425	(02)	494-8272	(031)	265-0878	(033)	251-1497
	501-1472		466-1221		637-1472		651-1472
	563-4405		353-1472		826-1472		641-6685
	534-7660		929-1472		533-3011		765-1472
	588-4949		2232-8311		916-1472		743-5019
	846-1472		979-1472		918-8527		533-9997
	3424-8858		930-0781		974-8892		637-3272
	988-7577		778-5326		986-7019		433-2100
	486-0016		927-5825		565-8572		
	853-1472				654-2292		
	558-1472	(031)	231-1472	(051)	326-4424		
	848-1472		243-6684		316-1472		
	2634-1472		239-7282		864-4423		
	672-9142		388-1472		743-1476		
	694-9900		442-9974		513-5580		
	322-1472		396-3636		751-7472		
	3143-1472		751-1472		804-1472		
	332-9944		732-1472		554-1472		
	525-1567		708-9808		441-1472		
	739-1818		766-7019		361-7858		
719-1472	482-1472	341-2260					
794-0088	404-3272	201-3933					
2264-4114		934-9127	465-0812				

(052)	268-1472	(043)	852-1472	(063)	227-1472
	251-1472		857-4950		286-4423
(055)	238-1472	(054)	275-1472	(062)	271-1272
	255-1472		283-5200		272-0066
	294-0101		973-3535		226-9016
	248-7373		437-4018		537-0016
	760-1472		536-6654		547-8573
	745-8666		633-8884		463-1472
327-5782	771-0102	376-5018	445-7774		
547-8896		226-1477	852-1472		
356-0207	526-1272	515-8597	834-5900		
649-8880	472-1472	515-3939	858-0187		
	672-1472	262-7007	626-9011		
(053)	764-1472	(042)	251-9999	(061)	633-1618
	254-1447		825-0100		
	573-8558		936-0100		758-1472
	526-1472				
	753-1472		5470131		
816-7272	736-1472	352-3018			
312-1211	555-1472	278-7079			
	555-3690	245-1472			
(054)	454-6161	(041)	663-1472	(064)	(/ /)
	473-4423		931-4777		1544-4424
	462-1472				

기능 요약카드

기능	사용방법
발신지 정보 표시	7.시, 2.시, 눌러 선택
후대폰 잠금/해제	길게 누름 / 비밀번호 4자리 입력
메일 보내기	8.시, 내용 입력
시생할 모호 기능	0. 비밀번호 입력, 선택 설정
후대폰 시용제한	0. 비밀번호 입력, 4.시, 선택
메모리 지움	비밀번호 입력, 5.시, 선택 설정
수신메세지 확인	1.시, 선택
메세지 보내기	3.시, 선택, 문자 입력, 번호 입력
발신할 바꾸기	4.시, 선택

기능	사용방법
벨소리 종류 선택하기	눌러 선택
벨/진동/무음모프 선택하기	2.시, 2.시, 눌러 선택
메너가는 설정/해제	길게 누름
벨/일림, 통화연결음, 경보음 조절	2.시, 3.시, 눌러 선택, 눌러 선택
음량(수화음량/카툰) 조절	대기 또는 통화중에 4.시, 누름
최근 건 번호 전화하기	4.시, 2.시, 선택, 선택
전화번호 관련기능 비	선택
전화번호 저장하기	번호 입력, 번호 입력, 부가사용 입력
모바일 설정	5.시, 2.시, 내용 입력
지동음표 설정	6.시, 2.시, 선택
후대폰 화면 바꾸기	
지동 지역번호	7.시, 3.시, 선택

For Foreigner /

1 Connect NATE

- 1-1 Connect NATE
- 1-2 Browser Setting (1. Proxy Setting (2. Home URL (3. User's ID (4. Reset Setting
- 1-3 Panting Friends Setting
- 1-4 Character bell
- 1-5 E-book (1. User Information (2. Approval information (3. Arrival information (4. Change secret number (5. Certification information (6. Remove information
- 1-6 Multimedia
- 1-7 Downloads item

Pressing enters the NATE menu, and pressing and holding down connects the NATE service.

2 Sound & Display

- 2-1 Sub LCD Setting (1. My avata (2. Interesting a picture (3. Sandglass/Season
- 2-2 Main LCD (1. Analog watch (2. Digital watch (3. Greeting & watch
- 2-3 Greeting Setting (1. Main LCD greeting setting (2. Sub LCD greeting setting
- 2-4 LCD Contrast setting (1. Main LCD contrast (2. Sub LCD contrast
- 2-5 Ringer Mode (1. Ringer 2. Ringer expand 3. Vibrate 4. Silent 5. Ringer after vibrate)
- 2-6 Bell & Melody (1. Classic / making melody / variety sound / bell / effect sound / my melody)
- 2-7 Volume (Bing Volume / Alarm volume / Connect tone / Disconnect tone / Minute Alert / Connect Alert)
- 2-8 Group bell (Family, Friends, Office)

For Foreigner

3 Game / Avata

- 3-1 Racing
- 3-2 Korean Chess
- 3-3 Avata (1. Setting on phone book
(2. Setting on idle display

4 Phone book

- 4-1 Store
- 4-2 Last call (Last numbers recived / Last number
dialed / Missed calls)
- 4-3 Find (By number / By name / By group)
- 4-4 First name
- 4-5 My profile

5 Organizer

- 5-1 Today scheduler
- 5-2 Morning call
- 5-3 Schedul setting
- 5-4 Calender
- 5-5 Calculator
- 5-6 Unit measurement
- 5-7 Stop watch
- 5-8 World time
- 5-9 Bio rhythm

6 Voice - SVC

- 6-1 Recording conformation.
- 6-2 VB mode setting (Call answer mode / Driving mode)
- 6-3 Call answer setting (Answer mode / Ring one time /
Ring two time / Ring third time / Ring four time)
- 6-4 Speaker ON/OFF
- 6-5 Record (Play / Record / Select greeting)

For Foreigner

7 Setting

- 7-1 LCD backlight setting (10 sec / 20 sec / 30 sec /
60 sec / Always on / Daily time off)
- 7-2 Sender information (Connect call / Connect call
after see)
- 7-3 Area code (No / User input / Select area /
Connect mobile phone)
- 7-4 Auto receiving (No / 1 time / 3 time)
- 7-5 Call time (Before call time / Total call time connect
Nate time)

8 Mail

- 8-1 Write mail
- 8-2 Mail server
- 8-3 Recall message
- 8-4 Temporary contain

0 Personal information

- 0-1 Personal protection (Mail box / Call history /
Search number / Schedul)
- 0-2 Set lock (No / Use after 20 sec / After power on)
- 0-3 Change password
- 0-4 Resevce User
- 0-5 Erase memory (Erase memory location
Erase Schedule, Erase last call
Erase calling time)
- 0-6 Set defaults
- 0-7 View version
- 0-8 Number plus
- 0-9 Using NAM change
- 0-10 Search system

